


Fig. 1

09977622-101501

09977622-101501






Fig. 3



Fig. 4




Fig. 5




Fig. 6



Fig. 7

[illegible]




Fig. 8




Fig. 9




Fig 10

09977622-101501




Fig 11




Fig 12

09977622-10501




Fig. 13a




Fig 13b

102 103

Select programming object

Hotel name:

Phone number:

Select programming port

☒ Com1 ☐ Com2
☐ Com3 ☐ Com4
☐ Lpt1 ☐ Lpt2
☐ USB port
☐ Giga port

Programming mode

☐ Auto ☒ By hand

If programming fail

☐ Save this message
☒ Stop auto to hand

If link is fail

Try times

Help windows

The program will send the program message to
the device again

Programming status window

PORT ON

Link successful

fig 14

457

HOTEL NAME
hotel california

Append Delete BackUp Restore

AEGIS 600 FAMILY

6003S 6005S 60010S
6001P 6007S 600T
600ID5 Other Add

PHONE NUMBER

Total 7 items 1

11122233344455566677

< > Search > >

Append Save Delete

☒ Question delete ☐ Clear all

Return main screen

456

MEMORY KEY

Message Key 500PP0095

Memory Key 1 03512900

Memory Key 2 120

Memory Key 3 110

Memory Key 4 105

Memory Key 5 205

Memory Key 6

Memory Key 7

Memory Key 8

Memory Key 9

Memory Key 10

Fig 15




Fig. 16




Fig. 17a




Fig. 176